

| PHP Version 5.6.40 | |
|--|--|
| System | Linux vps.wingpath.co.uk 3.18.21-16.el6.x86_64 #1 SMP Sat Sep 26 01:24:19 UTC 2015 x86_64 |
| Build Date | Jan 28 2020 20:08:31 |
| Configure Command | <pre> ./configure '--build=x86_64-redhat-linux-gnu' '--host=x86_64-redhat-linux-gnu' '--target=x86_64-redhat-linux-gnu' '--program-prefix=' '--prefix=/opt/cpanel/ea-php56/root/usr' '--exec-prefix=/opt/cpanel/ea-php56/root/usr' '--bindir=/opt/cpanel/ea-php56/root/usr/bin' '--sbindir=/opt/cpanel/ea-php56/root/usr/sbin' '--sysconfdir=/opt/cpanel/ea-php56/root/etc' '--datadir=/opt/cpanel/ea-php56/root/usr/share' '--includedir=/opt/cpanel/ea-php56/root/usr/include' '--libdir=/opt/cpanel/ea-php56/root/usr/lib64' '--libexecdir=/opt/cpanel/ea-php56/root/usr/libexec' '--localstatedir=/opt/cpanel/ea-php56/root/usr/var' '--sharedstatedir=/opt/cpanel/ea-php56/root/usr/com' '--mandir=/opt/cpanel/ea-php56/root/usr/share/man' '--infodir=/opt/cpanel/ea-php56/root/usr/share/info' '--cache-file=../config.cache' '--with-libdir=lib64' '--with-config-file-path=/opt/cpanel/ea-php56/root/etc' '--with-config-file-scan-dir=/opt/cpanel/ea-php56/root/etc/php.d' '--disable-debug' '--with-pic' '--enable-rpath=/opt/cpanel/ea-php56/root/usr/lib64' '--without-pear' '--with-bz2' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr' '--with-vpx-dir=/usr' '--enable-gd-native-ttf' '--without-gd' '--with-gettext' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl=/opt/cpanel/ea-php56/root/etc' '--with-openssl-dir=/opt/cpanel/ea-php56/root/etc' '--with-zlib' '--with-layout=GNU' '--enable-xml' '--enable-sockets' '--with-kerberos' '--enable-shmop' '--with-libxml-dir=/opt/cpanel/ea-php56/root/etc' '--enable-xml' '--with-system-tzdata' '--with-mhash' '--with-apxs2=/usr/bin/apxs' '--libdir=/opt/cpanel/ea-php56/root/usr/lib64/php' '--with-litespeed' '--without-mysql' '--disable-pdo' '--without-gd' '--disable-dom' '--disable-dba' '--without-unixODBC' '--disable-openssl' '--disable-xmlreader' '--disable-xmlwriter' '--without-sqlite3' '--disable-phar' '--disable-fileinfo' '--disable-json' '--without-pspell' '--disable-wddx' '--without-curl' '--disable-posix' '--disable-xml' '--disable-simplexml' '--disable-exif' '--without-gettext' '--without-iconv' '--disable-ftp' '--without-bz2' '--disable-ctype' '--disable-shmop' '--disable-sockets' '--disable-tokenizer' '--disable-sysmsg' '--disable-sysvshm' '--disable-sysvsem' '--without-gmp' '--disable-calendar' 'build_alias=x86_64-redhat-linux-gnu' 'host_alias=x86_64-redhat-linux-gnu' 'target_alias=x86_64-redhat-linux-gnu' 'CFLAGS=-O2 -g' 'pipe' 'Wall' 'Wp,-D_FORTIFY_SOURCE=2' '-fexceptions' '-fstack-protector' '--param=ssp-buffer-size=4' '-m64' '-mtune=generic' '-fno-strict-aliasing' '-Wno-pointer-sign' 'CXXFLAGS=-O2 -g' 'pipe' 'Wall' 'Wp,-D_FORTIFY_SOURCE=2' '-fexceptions' '-fstack-protector' '--param=ssp-buffer-size=4' '-m64' '-mtune=generic' </pre> |
| Server API | Apache 2.0 Handler |
| Virtual Directory Support | disabled |
| Configuration File (php.ini) Path | /opt/cpanel/ea-php56/root/etc |
| Loaded Configuration File | /opt/cpanel/ea-php56/root/etc/php.ini |
| Scan this dir for additional .ini files | /opt/cpanel/ea-php56/root/etc/php.d |
| Additional .ini files parsed | <pre> /opt/cpanel/ea-php56/root/etc/php.d/01-ioncube.ini, /opt/cpanel/ea-php56/root/etc/php.d/bcmath.ini, /opt/cpanel/ea-php56/root/etc/php.d/bz2.ini, /opt/cpanel/ea-php56/root/etc/php.d/calendar.ini, /opt/cpanel/ea-php56/root/etc/php.d/ctype.ini, /opt/cpanel/ea-php56/root/etc/php.d/curl.ini, /opt/cpanel/ea-php56/root/etc/php.d/dba.ini, /opt/cpanel/ea-php56/root/etc/php.d/dom.ini, /opt/cpanel/ea-php56/root/etc/php.d/enchant.ini, /opt/cpanel/ea-php56/root/etc/php.d/exif.ini, /opt/cpanel/ea-php56/root/etc/php.d/fileinfo.ini, /opt/cpanel/ea-php56/root/etc/php.d/ftp.ini, /opt/cpanel/ea-php56/root/etc/php.d/gd.ini, /opt/cpanel/ea-php56/root/etc/php.d/gettext.ini, /opt/cpanel/ea-php56/root/etc/php.d/gmp.ini, /opt/cpanel/ea-php56/root/etc/php.d/iconv.ini, /opt/cpanel/ea-php56/root/etc/php.d/imap.ini, /opt/cpanel/ea-php56/root/etc/php.d/intl.ini, /opt/cpanel/ea-php56/root/etc/php.d/json.ini, /opt/cpanel/ea-php56/root/etc/php.d/ldap.ini, /opt/cpanel/ea-php56/root/etc/php.d/mbstring.ini, /opt/cpanel/ea-php56/root/etc/php.d/mcrypt.ini, /opt/cpanel/ea-php56/root/etc/php.d/mysqli.ini, /opt/cpanel/ea-php56/root/etc/php.d/mysqli_mysql.ini, /opt/cpanel/ea-php56/root/etc/php.d/mysqli_odbc.ini, /opt/cpanel/ea-php56/root/etc/php.d/openssl.ini, /opt/cpanel/ea-php56/root/etc/php.d/pdo.ini, /opt/cpanel/ea-php56/root/etc/php.d/pdo_mysql.ini, /opt/cpanel/ea-php56/root/etc/php.d/pdo_odbc.ini, /opt/cpanel/ea-php56/root/etc/php.d/pdo_pgsql.ini, /opt/cpanel/ea-php56/root/etc/php.d/pdo_sqlite.ini, /opt/cpanel/ea-php56/root/etc/php.d/pgsql.ini, /opt/cpanel/ea-php56/root/etc/php.d/phar.ini, /opt/cpanel/ea-php56/root/etc/php.d/posix.ini, /opt/cpanel/ea-php56/root/etc/php.d/pspell.ini, /opt/cpanel/ea-php56/root/etc/php.d/shmop.ini, /opt/cpanel/ea-php56/root/etc/php.d/simplexml.ini, /opt/cpanel/ea-php56/root/etc/php.d/snmp.ini, /opt/cpanel/ea-php56/root/etc/php.d/soap.ini, /opt/cpanel/ea-php56/root/etc/php.d/sockets.ini, /opt/cpanel/ea-php56/root/etc/php.d/sourceguardian.ini, /opt/cpanel/ea-php56/root/etc/php.d/sqlite3.ini, /opt/cpanel/ea-php56/root/etc/php.d/sysmsg.ini, /opt/cpanel/ea-php56/root/etc/php.d/sysvsem.ini, /opt/cpanel/ea-php56/root/etc/php.d/sysvshm.ini, /opt/cpanel/ea-php56/root/etc/php.d/tidy.ini, /opt/cpanel/ea-php56/root/etc/php.d/tokenizer.ini, /opt/cpanel/ea-php56/root/etc/php.d/xml.ini, /opt/cpanel/ea-php56/root/etc/php.d/xml_wddx.ini, /opt/cpanel/ea-php56/root/etc/php.d/xmlreader.ini, /opt/cpanel/ea-php56/root/etc/php.d/xmlrpc.ini, /opt/cpanel/ea-php56/root/etc/php.d/xmlwriter.ini, /opt/cpanel/ea-php56/root/etc/php.d/xsl.ini, /opt/cpanel/ea-php56/root/etc/php.d/zip.ini, /opt/cpanel/ea-php56/root/etc/php.d/zzzzzz-pec1.ini </pre> |
| PHP API | 20131106 |
| PHP Extension | 20131226 |
| Zend Extension | 220131226 |
| Zend Extension Build | API220131226,NTS |
| PHP Extension Build | API20131226,NTS |
| Debug Build | no |
| Thread Safety | disabled |
| Zend Signal Handling | disabled |
| Zend Memory Manager | enabled |
| Zend Multibyte Support | provided by mbstring |
| IPv6 Support | enabled |
| DTrace Support | disabled |
| Registered PHP Streams | https, ftps, compress.zlib, php, file, glob, data, http, ftp, compress.bzip2, phar, zip |
| Registered Stream Socket Transports | tcp, udp, unix, udg, ssl, sslv3, tls, tlsv1.0, tlsv1.1, tlsv1.2 |

| | |
|----------------------------------|---|
| Registered Stream Filters | zlib.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, bzip2.*, convert.iconv.*, mcrypt.*, mdecrypt.* |
|----------------------------------|---|

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.6.0, Copyright (c) 1998-2016 Zend Technologies
 with the ionCube PHP Loader v4.7.5, Copyright (c) 2002-2014, by ionCube Ltd., and
 with Zend OPcache v7.0.6-dev, Copyright (c) 1999-2016, by Zend Technologies



Configuration

apache2handler

| | |
|-----------------------------|---|
| Apache Version | Apache/2.4.41 (cPanel) OpenSSL/1.1.1d mod_bwlimited/1.4 PHP/5.6.40 |
| Apache API Version | 20120211 |
| Server Administrator | webmaster@wingpath.co.uk |
| Hostname:Port | wingpath.co.uk:0 |
| User/Group | nobody(99)/99 |
| Max Requests | Per Child: 10000 - Keep Alive: on - Max Per Connection: 100 |
| Timeouts | Connection: 300 - Keep-Alive: 10 |
| Virtual Server | Yes |
| Server Root | /etc/apache2 |
| Loaded Modules | core mod_so http_core prefork mod_cgi mod_access_compat mod_actions mod_alias mod_auth_basic mod_authn_core mod_authn_file mod_authz_core mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_deflate mod_dir mod_expires mod_filter mod_headers mod_include mod_log_config mod_logio mod_mime mod_negotiation mod_proxy mod_proxy_fcgi mod_proxy_http mod_proxy_wstunnel mod_rewrite mod_setenvif mod_slotmem_shm mod_socache_dbm mod_socache_shmcb mod_socache_redis mod_status mod_suexec mod_unique_id mod_unixd mod_userdir mod_bwlimited mod_ssl mod_security2 mod_suphp mod_php5 |

| Directive | Local Value | Master Value |
|---------------|-------------|--------------|
| engine | 1 | 1 |
| last_modified | 0 | 0 |
| xbithack | 0 | 0 |

Apache Environment

| Variable | Value |
|---------------------------------------|--|
| UNIQUE_ID | XIVgnckw2RVIK3Y2T2WqyQAAAAA |
| HTTPS | on |
| SSL_TLS_SNI | wingpath.co.uk |
| HTTP_HOST | wingpath.co.uk |
| HTTP_USER_AGENT | Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:73.0) Gecko/20100101 Firefox/73.0 |
| HTTP_ACCEPT | text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8 |
| HTTP_ACCEPT_LANGUAGE | en-GB,en;q=0.5 |
| HTTP_ACCEPT_ENCODING | gzip, deflate, br |
| HTTP_DNT | 1 |
| HTTP_CONNECTION | keep-alive |
| HTTP_REFERER | https://wingpath.co.uk/admin/index.php |
| HTTP_COOKIE | uid=4480289730 |
| HTTP_UPGRADE_INSECURE_REQUESTS | 1 |
| PATH | /usr/local/jdk/bin:/usr/kerberos/sbin:/usr/kerberos/bin:/usr/local/sbin:/usr/local/bin:/sbin:/bin:/usr/sbin:/usr/bin:/usr/X11R6/bin:/usr/local/bin:/usr/X11R6/bin:/root/bin:/opt/bin |
| SERVER_SIGNATURE | no value |
| SERVER_SOFTWARE | Apache/2.4.41 (cPanel) OpenSSL/1.1.1d mod_bwlimited/1.4 PHP/5.6.40 |
| SERVER_NAME | wingpath.co.uk |
| SERVER_ADDR | 5.77.35.55 |
| SERVER_PORT | 443 |
| REMOTE_ADDR | 82.71.13.216 |
| DOCUMENT_ROOT | /home/wingpath/public_html |
| REQUEST_SCHEME | https |
| CONTEXT_PREFIX | no value |
| CONTEXT_DOCUMENT_ROOT | /home/wingpath/public_html |
| SERVER_ADMIN | webmaster@wingpath.co.uk |
| SCRIPT_FILENAME | /home/wingpath/public_html/admin/phpinfo.php |
| REMOTE_PORT | 42856 |
| REMOTE_USER | webadmin |
| AUTH_TYPE | Basic |

| | |
|--------------------------|--------------------|
| GATEWAY_INTERFACE | CGI/1.1 |
| SERVER_PROTOCOL | HTTP/1.1 |
| REQUEST_METHOD | GET |
| QUERY_STRING | <i>no value</i> |
| REQUEST_URI | /admin/phpinfo.php |
| SCRIPT_NAME | /admin/phpinfo.php |

HTTP Headers Information

| HTTP Request Headers | |
|----------------------------------|--|
| HTTP Request | GET /admin/phpinfo.php HTTP/1.1 |
| Host | wingpath.co.uk |
| User-Agent | Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:73.0) Gecko/20100101 Firefox/73.0 |
| Accept | text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8 |
| Accept-Language | en-GB,en;q=0.5 |
| Accept-Encoding | gzip, deflate, br |
| DNT | 1 |
| Authorization | Basic d2ViYWRTaW46YTRvdWhlUA== |
| Connection | keep-alive |
| Referer | https://wingpath.co.uk/admin/index.php |
| Cookie | uid=4480289730 |
| Upgrade-Insecure-Requests | 1 |
| HTTP Response Headers | |
| X-Powered-By | PHP/5.6.40 |

bcmath

| | |
|-----------------------|---------|
| BCMath support | enabled |
|-----------------------|---------|

| Directive | Local Value | Master Value |
|---------------------|-------------|--------------|
| bcmath.scale | 0 | 0 |

bz2

| | |
|-------------------------------|----------------------------------|
| BZip2 Support | Enabled |
| Stream Wrapper support | compress.bzip2:// |
| Stream Filter support | bzip2.decompress, bzip2.compress |
| BZip2 Version | 1.0.5, 10-Dec-2007 |

calendar

| | |
|-------------------------|---------|
| Calendar support | enabled |
|-------------------------|---------|

Core

| | |
|--------------------|--------|
| PHP Version | 5.6.40 |
|--------------------|--------|

| Directive | Local Value | Master Value |
|--------------------------------------|-----------------|-----------------|
| allow_url_fopen | On | On |
| allow_url_include | Off | Off |
| always_populate_raw_post_data | 0 | 0 |
| arg_separator.input | & | & |
| arg_separator.output | & | & |
| asp_tags | Off | Off |
| auto_append_file | <i>no value</i> | <i>no value</i> |
| auto_globals_jit | On | On |
| auto_prepend_file | <i>no value</i> | <i>no value</i> |
| browscap | <i>no value</i> | <i>no value</i> |
| default_charset | UTF-8 | UTF-8 |
| default_mimetype | text/html | text/html |
| disable_classes | <i>no value</i> | <i>no value</i> |
| disable_functions | <i>no value</i> | <i>no value</i> |
| display_errors | Off | Off |
| display_startup_errors | Off | Off |
| doc_root | <i>no value</i> | <i>no value</i> |
| docref_ext | <i>no value</i> | <i>no value</i> |

| | | |
|-----------------------------|---|---|
| docref_root | no value | no value |
| enable_dl | On | On |
| enable_post_data_reading | On | On |
| error_append_string | no value | no value |
| error_log | no value | error_log |
| error_prepend_string | no value | no value |
| error_reporting | 32767 | 32767 |
| exit_on_timeout | Off | Off |
| expose_php | On | On |
| extension_dir | /opt/cpanel/ea-php56/root/usr/lib64/php/modules | /opt/cpanel/ea-php56/root/usr/lib64/php/modules |
| file_uploads | On | On |
| highlight.comment | #FF8000 | #FF8000 |
| highlight.default | #0000BB | #0000BB |
| highlight.html | #000000 | #000000 |
| highlight.keyword | #007700 | #007700 |
| highlight.string | #DD0000 | #DD0000 |
| html_errors | Off | Off |
| ignore_repeated_errors | Off | Off |
| ignore_repeated_source | Off | Off |
| ignore_user_abort | Off | Off |
| implicit_flush | Off | Off |
| include_path | ./usr/lib/php:/usr/local/lib/php | ./usr/lib/php:/usr/local/lib/php |
| input_encoding | no value | no value |
| internal_encoding | no value | no value |
| log_errors | On | On |
| log_errors_max_len | 1024 | 1024 |
| mail.add_x_header | Off | Off |
| mail.force_extra_parameters | no value | no value |
| mail.log | no value | no value |
| max_execution_time | 60 | 60 |
| max_file_uploads | 20 | 20 |
| max_input_nesting_level | 64 | 64 |
| max_input_time | 70 | 70 |
| max_input_vars | 1000 | 1000 |
| memory_limit | 256M | 32M |
| open_basedir | no value | no value |
| output_buffering | no value | no value |
| output_encoding | no value | no value |
| output_handler | no value | no value |
| post_max_size | 8M | 8M |
| precision | 12 | 12 |
| realpath_cache_size | 16K | 16K |
| realpath_cache_ttl | 120 | 120 |
| register_argc_argv | On | On |
| report_memleaks | On | On |
| report zend debug | On | On |
| request_order | no value | no value |
| sendmail_from | no value | no value |
| sendmail_path | /usr/sbin/sendmail -t -i | /usr/sbin/sendmail -t -i |
| serialize_precision | 100 | 100 |
| short_open_tag | On | On |
| SMTP | localhost | localhost |
| smtp_port | 25 | 25 |
| sql.safe_mode | Off | Off |
| sys_temp_dir | no value | no value |
| track_errors | Off | Off |
| unserialize_callback_func | no value | no value |
| upload_max_filesize | 2M | 2M |
| upload_tmp_dir | no value | no value |
| user_dir | no value | no value |
| user_ini.cache_ttl | 300 | 300 |
| user_ini.filename | .user.ini | .user.ini |

| | | |
|-----------------------------|-----------------|-----------------|
| variables_order | EGPCS | EGPCS |
| xmlrpc_error_number | 0 | 0 |
| xmlrpc_errors | Off | Off |
| zend.detect_unicode | On | On |
| zend.enable_gc | On | On |
| zend.multibyte | Off | Off |
| zend.script_encoding | <i>no value</i> | <i>no value</i> |

ctype

| | |
|------------------------|---------|
| ctype functions | enabled |
|------------------------|---------|

curl

| | |
|-------------------------|---|
| cURL support | enabled |
| cURL Information | 7.67.0 |
| Age | 5 |
| Features | |
| AsynchDNS | Yes |
| CharConv | No |
| Debug | No |
| GSS-Negotiate | No |
| IDN | No |
| IPv6 | Yes |
| krb4 | No |
| Largefile | Yes |
| libz | Yes |
| NTLM | Yes |
| NTLMWB | Yes |
| SPNEGO | Yes |
| SSL | Yes |
| SSPI | No |
| TLS-SRP | Yes |
| Protocols | dict, file, ftp, ftps, gopher, http, https, imap, imaps, pop3, pop3s, rtsp, scp, sftp, smb, smbs, smtp, smtps, telnet, tftp |
| Host | x86_64-redhat-linux-gnu |
| SSL Version | OpenSSL/1.1.1d |
| ZLib Version | 1.2.3 |
| libSSH Version | libssh2/1.4.2 |

date

| | |
|--|----------|
| date/time support | enabled |
| "Olson" Timezone Database Version | 0.system |
| Timezone Database | internal |
| Default timezone | UTC |

| Directive | Local Value | Master Value |
|-------------------------------|-------------|--------------|
| date.default_latitude | 31.7667 | 31.7667 |
| date.default_longitude | 35.2333 | 35.2333 |
| date.sunrise_zenith | 90.583333 | 90.583333 |
| date.sunset_zenith | 90.583333 | 90.583333 |
| date.timezone | UTC | UTC |

dba

| | |
|---------------------------|---|
| DBA support | enabled |
| Supported handlers | cdb cdb_make db4 inifile flatfile tcadb |

| Directive | Local Value | Master Value |
|----------------------------|-------------|--------------|
| dba.default_handler | flatfile | flatfile |

dom

| | |
|----------------------------|----------|
| DOM/XML | enabled |
| DOM/XML API Version | 20031129 |

| | |
|-------------------------|---------|
| libxml Version | 2.9.7 |
| HTML Support | enabled |
| XPath Support | enabled |
| XPointer Support | enabled |
| Schema Support | enabled |
| RelaxNG Support | enabled |

enchant

| | | |
|---------------------------|---|--|
| enchant support | enabled | |
| Version | 1.1.0 | |
| Libenchant Version | 1.5.x | |
| Revision | \$Id: 2b1a7a0910b094a8f56f81d474ff1837c4389a28 \$ | |
| myspell | Myspell Provider | /usr/lib64/enchant/libenchant_myspell.so |

ereg

| | |
|----------------------|-------------------------|
| Regex Library | Bundled library enabled |
|----------------------|-------------------------|

exif

| | |
|-------------------------------|---|
| EXIF Support | enabled |
| EXIF Version | 1.4 \$Id: cad29b729548e4206f0697710cc9e177f26fdff3 \$ |
| Supported EXIF Version | 0220 |
| Supported filetypes | JPEG,TIFF |

| Directive | Local Value | Master Value |
|-------------------------------------|-----------------|-----------------|
| exif.decode_jis_intel | JIS | JIS |
| exif.decode_jis_motorola | JIS | JIS |
| exif.decode_unicode_intel | UCS-2LE | UCS-2LE |
| exif.decode_unicode_motorola | UCS-2BE | UCS-2BE |
| exif.encode_jis | <i>no value</i> | <i>no value</i> |
| exif.encode_unicode | ISO-8859-15 | ISO-8859-15 |

fileinfo

| | |
|-------------------------|---------|
| fileinfo support | enabled |
| version | 1.0.5 |
| libmagic | 517 |

filter

| Input Validation and Filtering | enabled | |
|---------------------------------------|---|-----------------|
| Revision | \$Id: 5b79667bd9a68977a9b4f7505223a8e216e04908 \$ | |
| Directive | Local Value | Master Value |
| filter.default | unsafe_raw | unsafe_raw |
| filter.default_flags | <i>no value</i> | <i>no value</i> |

ftp

| | |
|--------------------|---------|
| FTP support | enabled |
|--------------------|---------|

gd

| | |
|---------------------------|----------------------------|
| GD Support | enabled |
| GD Version | bundled (2.1.0 compatible) |
| FreeType Support | enabled |
| FreeType Linkage | with freetype |
| FreeType Version | 2.3.11 |
| T1Lib Support | enabled |
| GIF Read Support | enabled |
| GIF Create Support | enabled |
| JPEG Support | enabled |
| libJPEG Version | 6b |
| PNG Support | enabled |
| libPNG Version | 1.2.49 |

| | |
|-----------------------|---------|
| WBMP Support | enabled |
| XPM Support | enabled |
| libXpm Version | 30411 |
| XBM Support | enabled |
| WebP Support | enabled |

| Directive | Local Value | Master Value |
|-------------------------------|-------------|--------------|
| gd.jpeg_ignore_warning | 0 | 0 |

gettext

| | |
|------------------------|---------|
| GetText Support | enabled |
|------------------------|---------|

gmp

| | |
|--------------------|---------|
| gmp support | enabled |
| GMP version | 4.3.1 |

hash

| | |
|------------------------|--|
| hash support | enabled |
| Hashing Engines | md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b fnv132 fnv1a32 fnv164 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 |

iconv

| | |
|------------------------------|---------|
| iconv support | enabled |
| iconv implementation | glibc |
| iconv library version | 2.12 |

| Directive | Local Value | Master Value |
|--------------------------------|-----------------|-----------------|
| iconv.input_encoding | <i>no value</i> | <i>no value</i> |
| iconv.internal_encoding | <i>no value</i> | <i>no value</i> |
| iconv.output_encoding | <i>no value</i> | <i>no value</i> |

imap

| | |
|------------------------------|---------|
| IMAP c-Client Version | 2007f |
| SSL Support | enabled |
| Kerberos Support | enabled |

| Directive | Local Value | Master Value |
|---------------------------------|-------------|--------------|
| imap.enable_insecure_rsh | Off | Off |

intl

| | |
|-------------------------------------|---------|
| Internationalization support | enabled |
| version | 1.1.0 |
| ICU version | 4.2.1 |

| Directive | Local Value | Master Value |
|----------------------------|-----------------|-----------------|
| intl.default_locale | <i>no value</i> | <i>no value</i> |
| intl.error_level | 0 | 0 |
| intl.use_exceptions | 0 | 0 |

json

| | |
|---------------------|---------|
| json support | enabled |
| json version | 1.2.1 |

ldap

| | |
|---------------------|---|
| LDAP Support | enabled |
| RCS Version | \$Id: 03ca03d3ad3e59787d58cd342d8f864c5d96252a \$ |
| Total Links | 0/unlimited |
| API Version | 3001 |
| Vendor Name | OpenLDAP |

| | |
|-----------------------|---------|
| Vendor Version | 20439 |
| SASL Support | Enabled |

| Directive | Local Value | Master Value |
|-----------------------|-------------|--------------|
| ldap.max_links | Unlimited | Unlimited |

libxml

| | |
|--------------------------------|---------|
| libXML support | active |
| libXML Compiled Version | 2.9.7 |
| libXML Loaded Version | 20907 |
| libXML streams | enabled |

mbstring

| | |
|--|----------|
| Multibyte Support | enabled |
| Multibyte string engine | libmbfl |
| HTTP input encoding translation | disabled |
| libmbfl version | 1.3.2 |

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

| | |
|--|---------|
| Multibyte (japanese) regex support | enabled |
| Multibyte regex (oniguruma) backtrack check | On |
| Multibyte regex (oniguruma) version | 5.9.5 |

| Directive | Local Value | Master Value |
|--|-------------------------------|-------------------------------|
| mbstring.detect_order | <i>no value</i> | <i>no value</i> |
| mbstring.encoding_translation | Off | Off |
| mbstring.func_overload | 0 | 0 |
| mbstring.http_input | <i>no value</i> | <i>no value</i> |
| mbstring.http_output | <i>no value</i> | <i>no value</i> |
| mbstring.http_output_conv_mimetypes | ^(text application/xhtml+xml) | ^(text application/xhtml+xml) |
| mbstring.internal_encoding | <i>no value</i> | <i>no value</i> |
| mbstring.language | neutral | neutral |
| mbstring.strict_detection | Off | Off |
| mbstring.substitute_character | <i>no value</i> | <i>no value</i> |

mcrypt

| | |
|------------------------------|--|
| mcrypt support | enabled |
| mcrypt_filter support | enabled |
| Version | 2.5.8 |
| Api No | 20021217 |
| Supported ciphers | cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes |
| Supported modes | cbc cfb ctr ecb ncfb nofb ofb stream |

| Directive | Local Value | Master Value |
|------------------------------|-----------------|-----------------|
| mcrypt.algorithms_dir | <i>no value</i> | <i>no value</i> |
| mcrypt.modes_dir | <i>no value</i> | <i>no value</i> |

mhash

| | |
|--------------------------|------------------|
| MHASH support | Enabled |
| MHASH API Version | Emulated Support |

mysql

| | |
|--------------------------------|---|
| MySQL Support | enabled |
| Active Persistent Links | 0 |
| Active Links | 0 |
| Client API version | mysqlnd 5.0.11-dev - 20120503 - \$Id: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$ |

| Directive | Local Value | Master Value |
|---------------------------------|-------------|--------------|
| mysql.allow_local_infile | On | On |

| | | |
|------------------------|---------------------------|---------------------------|
| mysql.allow_persistent | On | On |
| mysql.connect_timeout | 60 | 60 |
| mysql.default_host | no value | no value |
| mysql.default_password | no value | no value |
| mysql.default_port | no value | no value |
| mysql.default_socket | /var/lib/mysql/mysql.sock | /var/lib/mysql/mysql.sock |
| mysql.default_user | no value | no value |
| mysql.max_links | Unlimited | Unlimited |
| mysql.max_persistent | Unlimited | Unlimited |
| mysql.trace_mode | Off | Off |

mysqli

| Mysqli Support | enabled |
|----------------------------|--|
| Client API library version | mysqli 5.0.11-dev - 20120503 - \$Id: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$ |
| Active Persistent Links | 0 |
| Inactive Persistent Links | 0 |
| Active Links | 0 |

| Directive | Local Value | Master Value |
|---------------------------------|---------------------------|---------------------------|
| mysqli.allow_local_infile | On | On |
| mysqli.allow_persistent | On | On |
| mysqli.default_host | no value | no value |
| mysqli.default_port | 3306 | 3306 |
| mysqli.default_pw | no value | no value |
| mysqli.default_socket | /var/lib/mysql/mysql.sock | /var/lib/mysql/mysql.sock |
| mysqli.default_user | no value | no value |
| mysqli.max_links | Unlimited | Unlimited |
| mysqli.max_persistent | Unlimited | Unlimited |
| mysqli.reconnect | Off | Off |
| mysqli.rollback_on_cached_plink | Off | Off |

mysqli

| mysqli | enabled |
|------------------------------|--|
| Version | mysqli 5.0.11-dev - 20120503 - \$Id: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$ |
| Compression | supported |
| core SSL | supported |
| extended SSL | supported |
| Command buffer size | 4096 |
| Read buffer size | 32768 |
| Read timeout | 31536000 |
| Collecting statistics | Yes |
| Collecting memory statistics | No |
| Tracing | n/a |
| Loaded plugins | mysqli, debug_trace, auth_plugin_mysql_native_password, auth_plugin_mysql_clear_password, auth_plugin_sha256 |
| API Extensions | mysqli, pdo_mysql |

| mysqli statistics | |
|--|---|
| bytes_sent | 0 |
| bytes_received | 0 |
| packets_sent | 0 |
| packets_received | 0 |
| protocol_overhead_in | 0 |
| protocol_overhead_out | 0 |
| bytes_received_ok_packet | 0 |
| bytes_received_eof_packet | 0 |
| bytes_received_rset_header_packet | 0 |
| bytes_received_rset_field_meta_packet | 0 |
| bytes_received_rset_row_packet | 0 |
| bytes_received_prepare_response_packet | 0 |
| bytes_received_change_user_packet | 0 |
| packets_sent_command | 0 |
| packets_received_ok | 0 |

| | |
|--|---|
| packets_received_eof | 0 |
| packets_received_rset_header | 0 |
| packets_received_rset_field_meta | 0 |
| packets_received_rset_row | 0 |
| packets_received_prepare_response | 0 |
| packets_received_change_user | 0 |
| result_set_queries | 0 |
| non_result_set_queries | 0 |
| no_index_used | 0 |
| bad_index_used | 0 |
| slow_queries | 0 |
| buffered_sets | 0 |
| unbuffered_sets | 0 |
| ps_buffered_sets | 0 |
| ps_unbuffered_sets | 0 |
| flushed_normal_sets | 0 |
| flushed_ps_sets | 0 |
| ps_prepared_never_executed | 0 |
| ps_prepared_once_executed | 0 |
| rows_fetched_from_server_normal | 0 |
| rows_fetched_from_server_ps | 0 |
| rows_buffered_from_client_normal | 0 |
| rows_buffered_from_client_ps | 0 |
| rows_fetched_from_client_normal_buffered | 0 |
| rows_fetched_from_client_normal_unbuffered | 0 |
| rows_fetched_from_client_ps_buffered | 0 |
| rows_fetched_from_client_ps_unbuffered | 0 |
| rows_fetched_from_client_ps_cursor | 0 |
| rows_affected_normal | 0 |
| rows_affected_ps | 0 |
| rows_skipped_normal | 0 |
| rows_skipped_ps | 0 |
| copy_on_write_saved | 0 |
| copy_on_write_performed | 0 |
| command_buffer_too_small | 0 |
| connect_success | 0 |
| connect_failure | 0 |
| connection_reused | 0 |
| reconnect | 0 |
| pconnect_success | 0 |
| active_connections | 0 |
| active_persistent_connections | 0 |
| explicit_close | 0 |
| implicit_close | 0 |
| disconnect_close | 0 |
| in_middle_of_command_close | 0 |
| explicit_free_result | 0 |
| implicit_free_result | 0 |
| explicit_stmt_close | 0 |
| implicit_stmt_close | 0 |
| mem_emalloc_count | 0 |
| mem_emalloc_amount | 0 |
| mem_ecalloc_count | 0 |
| mem_ecalloc_amount | 0 |
| mem_erealloc_count | 0 |
| mem_erealloc_amount | 0 |
| mem_efree_count | 0 |
| mem_efree_amount | 0 |
| mem_malloc_count | 0 |
| mem_malloc_amount | 0 |
| mem_calloc_count | 0 |
| mem_calloc_amount | 0 |

| | |
|--------------------------------|---|
| mem_realloc_count | 0 |
| mem_realloc_amount | 0 |
| mem_free_count | 0 |
| mem_free_amount | 0 |
| mem_strndup_count | 0 |
| mem_strdup_count | 0 |
| mem_estndup_count | 0 |
| mem_strdup_count | 0 |
| proto_text_fetched_null | 0 |
| proto_text_fetched_bit | 0 |
| proto_text_fetched_tinyint | 0 |
| proto_text_fetched_short | 0 |
| proto_text_fetched_int24 | 0 |
| proto_text_fetched_int | 0 |
| proto_text_fetched_bigint | 0 |
| proto_text_fetched_decimal | 0 |
| proto_text_fetched_float | 0 |
| proto_text_fetched_double | 0 |
| proto_text_fetched_date | 0 |
| proto_text_fetched_year | 0 |
| proto_text_fetched_time | 0 |
| proto_text_fetched_datetime | 0 |
| proto_text_fetched_timestamp | 0 |
| proto_text_fetched_string | 0 |
| proto_text_fetched_blob | 0 |
| proto_text_fetched_enum | 0 |
| proto_text_fetched_set | 0 |
| proto_text_fetched_geometry | 0 |
| proto_text_fetched_other | 0 |
| proto_binary_fetched_null | 0 |
| proto_binary_fetched_bit | 0 |
| proto_binary_fetched_tinyint | 0 |
| proto_binary_fetched_short | 0 |
| proto_binary_fetched_int24 | 0 |
| proto_binary_fetched_int | 0 |
| proto_binary_fetched_bigint | 0 |
| proto_binary_fetched_decimal | 0 |
| proto_binary_fetched_float | 0 |
| proto_binary_fetched_double | 0 |
| proto_binary_fetched_date | 0 |
| proto_binary_fetched_year | 0 |
| proto_binary_fetched_time | 0 |
| proto_binary_fetched_datetime | 0 |
| proto_binary_fetched_timestamp | 0 |
| proto_binary_fetched_string | 0 |
| proto_binary_fetched_json | 0 |
| proto_binary_fetched_blob | 0 |
| proto_binary_fetched_enum | 0 |
| proto_binary_fetched_set | 0 |
| proto_binary_fetched_geometry | 0 |
| proto_binary_fetched_other | 0 |
| init_command_executed_count | 0 |
| init_command_failed_count | 0 |
| com_quit | 0 |
| com_init_db | 0 |
| com_query | 0 |
| com_field_list | 0 |
| com_create_db | 0 |
| com_drop_db | 0 |
| com_refresh | 0 |
| com_shutdown | 0 |
| com_statistics | 0 |

| | |
|---------------------------------|---|
| com_process_info | 0 |
| com_connect | 0 |
| com_process_kill | 0 |
| com_debug | 0 |
| com_ping | 0 |
| com_time | 0 |
| com_delayed_insert | 0 |
| com_change_user | 0 |
| com_binlog_dump | 0 |
| com_table_dump | 0 |
| com_connect_out | 0 |
| com_register_slave | 0 |
| com_stmt_prepare | 0 |
| com_stmt_execute | 0 |
| com_stmt_send_long_data | 0 |
| com_stmt_close | 0 |
| com_stmt_reset | 0 |
| com_stmt_set_option | 0 |
| com_stmt_fetch | 0 |
| com_daemon | 0 |
| bytes_received_real_data_normal | 0 |
| bytes_received_real_data_ps | 0 |

odbc

| | |
|-------------------------|----------------|
| ODBC Support | enabled |
| Active Persistent Links | 0 |
| Active Links | 0 |
| ODBC library | unixODBC |
| ODBC_INCLUDE | -I/usr/include |
| ODBC_LFLAGS | -L/usr/lib64 |
| ODBC_LIBS | -lodbc |

| Directive | Local Value | Master Value |
|-------------------------|-------------------------|-------------------------|
| odbc.allow_persistent | On | On |
| odbc.check_persistent | On | On |
| odbc.default_cursortype | Static cursor | Static cursor |
| odbc.default_db | <i>no value</i> | <i>no value</i> |
| odbc.default_pw | no value | no value |
| odbc.default_user | <i>no value</i> | <i>no value</i> |
| odbc.defaultbinmode | return as is | return as is |
| odbc.defaultlrl | return up to 4096 bytes | return up to 4096 bytes |
| odbc.max_links | Unlimited | Unlimited |
| odbc.max_persistent | Unlimited | Unlimited |

openssl

| | |
|-------------------------|--|
| OpenSSL support | enabled |
| OpenSSL Library Version | OpenSSL 1.0.2t 10 Sep 2019 |
| OpenSSL Header Version | OpenSSL 1.0.2t 10 Sep 2019 |
| Openssl default config | /opt/cpanel/ea-openssl/etc/pki/tls/openssl.cnf |

| Directive | Local Value | Master Value |
|----------------|-----------------|-----------------|
| openssl.cafile | <i>no value</i> | <i>no value</i> |
| openssl.capath | <i>no value</i> | <i>no value</i> |

pcre

| | |
|--|-----------------|
| PCRE (Perl Compatible Regular Expressions) Support | enabled |
| PCRE Library Version | 8.38 2015-11-23 |

| Directive | Local Value | Master Value |
|----------------------|-------------|--------------|
| pcre.backtrack_limit | 1000000 | 1000000 |
| pcre.recursion_limit | 100000 | 100000 |

PDO

| | |
|--------------------|----------------------------|
| PDO support | enabled |
| PDO drivers | mysql, odbc, pgsql, sqlite |

pdo_mysql

| | |
|-----------------------------|---|
| PDO Driver for MySQL | enabled |
| Client API version | mysqlnd 5.0.11-dev - 20120503 - \$Id: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$ |

| Directive | Local Value | Master Value |
|---------------------------------|---------------------------|---------------------------|
| pdo_mysql.default_socket | /var/lib/mysql/mysql.sock | /var/lib/mysql/mysql.sock |

PDO_ODBC

| | |
|---------------------------------------|--------------------------|
| PDO Driver for ODBC (unixODBC) | enabled |
| ODBC Connection Pooling | Enabled, strict matching |

pdo_pgsql

| | |
|----------------------------------|--|
| PDO Driver for PostgreSQL | enabled |
| PostgreSQL(libpq) Version | 8.4.20 |
| Module version | 1.0.2 |
| Revision | \$Id: 0e858dd2051ca8c2fd3c781909a0670ab5fecdc36 \$ |

pdo_sqlite

| | |
|----------------------------------|----------------|
| PDO Driver for SQLite 3.x | enabled |
| SQLite Library | 3.6.20 |

pgsql

| | |
|------------------------------------|--|
| PostgreSQL Support | enabled |
| PostgreSQL(libpq) Version | 8.4.20 |
| PostgreSQL(libpq) | PostgreSQL 8.4.20 on x86_64-redhat-linux-gnu, compiled by GCC gcc (GCC) 4.4.7 20120313 (Red Hat 4.4.7-4), 64-bit |
| Multibyte character support | enabled |
| SSL support | enabled |
| Active Persistent Links | 0 |
| Active Links | 0 |

| Directive | Local Value | Master Value |
|------------------------------------|-------------|--------------|
| pgsql.allow_persistent | On | On |
| pgsql.auto_reset_persistent | Off | Off |
| pgsql.ignore_notice | Off | Off |
| pgsql.log_notice | Off | Off |
| pgsql.max_links | Unlimited | Unlimited |
| pgsql.max_persistent | Unlimited | Unlimited |

Phar

| | |
|----------------------------------|---|
| Phar: PHP Archive support | enabled |
| Phar EXT version | 2.0.2 |
| Phar API version | 1.1.1 |
| SVN revision | \$Id: 6e5cec2462a6ded53d4379ea9a69487a60d5c43c \$ |
| Phar-based phar archives | enabled |
| Tar-based phar archives | enabled |
| ZIP-based phar archives | enabled |
| gzip compression | enabled |
| bzip2 compression | enabled |
| OpenSSL support | enabled |

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

| Directive | Local Value | Master Value |
|------------------------|-----------------|-----------------|
| phar.cache_list | <i>no value</i> | <i>no value</i> |
| phar.readonly | On | On |

| | | |
|-------------------|----|----|
| phar.require_hash | On | On |
|-------------------|----|----|

posix

| | |
|----------|---|
| Revision | \$Id: 5f4acc20904b1406142f2a0ede068db048c77e77 \$ |
|----------|---|

pspell

| | |
|----------------|---------|
| PSpell Support | enabled |
|----------------|---------|

Reflection

| | |
|------------|---|
| Reflection | enabled |
| Version | \$Id: 5f15287237d5f78d75b19c26915aa7bd83dee8b8 \$ |

session

| | |
|--------------------------------|-----------------------------------|
| Session Support | enabled |
| Registered save handlers | files user |
| Registered serializer handlers | php_serialize php php_binary wddx |

| Directive | Local Value | Master Value |
|----------------------------------|-----------------------------|-----------------------------|
| session.auto_start | Off | Off |
| session.cache_expire | 180 | 180 |
| session.cache_limiter | nocache | nocache |
| session.cookie_domain | no value | no value |
| session.cookie_httponly | Off | Off |
| session.cookie_lifetime | 0 | 0 |
| session.cookie_path | / | / |
| session.cookie_secure | Off | Off |
| session.entropy_file | no value | no value |
| session.entropy_length | 0 | 0 |
| session.gc_divisor | 100 | 100 |
| session.gc_maxlifetime | 1440 | 1440 |
| session.gc_probability | 1 | 1 |
| session.hash_bits_per_character | 4 | 4 |
| session.hash_function | 0 | 0 |
| session.name | PHPSESSID | PHPSESSID |
| session.referer_check | no value | no value |
| session.save_handler | files | files |
| session.save_path | /tmp | /tmp |
| session.serialize_handler | php | php |
| session.upload_progress.cleanup | On | On |
| session.upload_progress.enabled | On | On |
| session.upload_progress.freq | 1% | 1% |
| session.upload_progress.min_freq | 1 | 1 |
| session.upload_progress.name | PHP_SESSION_UPLOAD_PROGRESS | PHP_SESSION_UPLOAD_PROGRESS |
| session.upload_progress.prefix | upload_progress_ | upload_progress_ |
| session.use_cookies | On | On |
| session.use_only_cookies | On | On |
| session.use_strict_mode | Off | Off |
| session.use_trans_sid | 0 | 0 |

shmop

| | |
|---------------|---------|
| shmop support | enabled |
|---------------|---------|

SimpleXML

| | |
|-------------------|---|
| Simplexml support | enabled |
| Revision | \$Id: d7077fc935154236afb4fe70814ba358efdbdca4 \$ |
| Schema support | enabled |

snmp

| | |
|------------------|---------|
| NET-SNMP Support | enabled |
| NET-SNMP Version | 5.5 |

| | |
|------------------|-----|
| PHP SNMP Version | 0.1 |
|------------------|-----|

soap

| | |
|-------------|---------|
| Soap Client | enabled |
| Soap Server | enabled |

| Directive | Local Value | Master Value |
|-------------------------|-------------|--------------|
| soap.wsdl_cache | 1 | 1 |
| soap.wsdl_cache_dir | /tmp | /tmp |
| soap.wsdl_cache_enabled | 1 | 1 |
| soap.wsdl_cache_limit | 5 | 5 |
| soap.wsdl_cache_ttl | 86400 | 86400 |

sockets

| | |
|-----------------|---------|
| Sockets Support | enabled |
|-----------------|---------|

SourceGuardian

| | |
|------------------------------------|------------|
| SourceGuardian Loader Support | enabled |
| SourceGuardian Loader Version | 11.3.4 |
| SourceGuardian Loader Build Number | 0x00000019 |
| phpSHIELD Support | enabled |

| Directive | Local Value | Master Value |
|-----------------------------------|-------------|--------------|
| sourceguardian.restrict_unencoded | 0 | 0 |

SPL

| | |
|-------------|--|
| SPL support | enabled |
| Interfaces | Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject |
| Classes | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, Infiltrator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException |

sqlite3

| | |
|------------------------|---------|
| SQLite3 support | enabled |
| SQLite3 module version | 0.7-dev |
| SQLite Library | 3.6.20 |

| Directive | Local Value | Master Value |
|-----------------------|-------------|--------------|
| sqlite3.extension_dir | no value | no value |

standard

| | |
|-------------------------|--------------------------|
| Dynamic Library Support | enabled |
| Path to sendmail | /usr/sbin/sendmail -t -i |

| Directive | Local Value | Master Value |
|--------------------------|---|--|
| assert.active | 1 | 1 |
| assert.bail | 0 | 0 |
| assert.callback | no value | no value |
| assert.quiet_eval | 0 | 0 |
| assert.warning | 1 | 1 |
| auto_detect_line_endings | 0 | 0 |
| default_socket_timeout | 60 | 60 |
| from | no value | no value |
| url_rewriter.tags | a=href,area=href,frame=src,input=src,form=,fieldset=,a=href,area=href,frame=src,input=src,form=,fieldset= | a=href,area=href,frame=src,input=src,form=,fieldset= |
| user_agent | no value | no value |

sysvmsg

| | |
|------------------------|---|
| sysvmsg support | enabled |
| Revision | \$Id: 58590192720bc56939152fde3645d808b348bb9b \$ |

tidy

| | |
|--------------------------|---|
| Tidy support | enabled |
| libTidy Release | 2017/03/01 |
| Extension Version | 2.0 (\$Id: 57f050b275c6da348310461a64aaad21feef8091 \$) |

| Directive | Local Value | Master Value |
|----------------------------|-----------------|-----------------|
| tidy.clean_output | 0 | 0 |
| tidy.default_config | <i>no value</i> | <i>no value</i> |

tokenizer

| | |
|--------------------------|---------|
| Tokenizer Support | enabled |
|--------------------------|---------|

wddx

| | |
|--------------------------------|----------------|
| WDDX Support | enabled |
| WDDX Session Serializer | enabled |

xml

| | |
|------------------------------|--------|
| XML Support | active |
| XML Namespace Support | active |
| libxml2 Version | 2.9.7 |

xmlreader

| | |
|------------------|---------|
| XMLReader | enabled |
|------------------|---------|

xmlrpc

| | |
|------------------------------|---|
| core library version | xmlrpc-epi v. 0.51 |
| php extension version | 0.51 |
| author | Dan Libby |
| homepage | http://xmlrpc-epi.sourceforge.net |
| open sourced by | Epinions.com |

xmlwriter

| | |
|------------------|---------|
| XMLWriter | enabled |
|------------------|---------|

Zend OPcache

| | |
|-------------------------------------|----------------|
| Opcache Caching | Up and Running |
| Optimization | Enabled |
| Startup | OK |
| Shared memory model | mmap |
| Cache hits | 191 |
| Cache misses | 46 |
| Used memory | 18974168 |
| Free memory | 115243560 |
| Wasted memory | 0 |
| Interned Strings Used memory | 1426536 |
| Interned Strings Free memory | 6962072 |
| Cached scripts | 46 |
| Cached keys | 88 |
| Max keys | 7963 |
| OOM restarts | 0 |
| Hash keys restarts | 0 |
| Manual restarts | 0 |

| Directive | Local Value | Master Value |
|-----------------------------------|--|--|
| opcache.blacklist_filename | /opt/cpanel/ea-php56/root/etc/php.d/opcache*.blacklist | /opt/cpanel/ea-php56/root/etc/php.d/opcache*.blacklist |
| opcache.consistency_checks | 0 | 0 |

| | | |
|--|-----------------|-----------------|
| opcache.dups_fix | Off | Off |
| opcache.enable | On | On |
| opcache.enable_cli | Off | Off |
| opcache.enable_file_override | Off | Off |
| opcache.error_log | <i>no value</i> | <i>no value</i> |
| opcache.fast_shutdown | 1 | 1 |
| opcache.file_update_protection | 2 | 2 |
| opcache.force_restart_timeout | 180 | 180 |
| opcache.inherited_hack | On | On |
| opcache.interned_strings_buffer | 8 | 8 |
| opcache.load_comments | 1 | 1 |
| opcache.log_verbosity_level | 1 | 1 |
| opcache.max_accelerated_files | 4000 | 4000 |
| opcache.max_file_size | 0 | 0 |
| opcache.max_wasted_percentage | 5 | 5 |
| opcache.memory_consumption | 128 | 128 |
| opcache.optimization_level | 0x7FFFBFFF | 0x7FFFBFFF |
| opcache.preferred_memory_model | <i>no value</i> | <i>no value</i> |
| opcache.protect_memory | 0 | 0 |
| opcache.restrict_api | <i>no value</i> | <i>no value</i> |
| opcache.revalidate_freq | 2 | 2 |
| opcache.revalidate_path | Off | Off |
| opcache.save_comments | 1 | 1 |
| opcache.use_cwd | On | On |
| opcache.validate_permission | On | On |
| opcache.validate_root | Off | Off |
| opcache.validate_timestamps | On | On |

zip

| | |
|-----------------------|---------|
| Zip | enabled |
| Zip version | 1.12.5 |
| Libzip version | 0.11.2 |

zlib

| | |
|-------------------------|----------------------------|
| ZLib Support | enabled |
| Stream Wrapper | compress.zlib:// |
| Stream Filter | zlib.inflate, zlib.deflate |
| Compiled Version | 1.2.3 |
| Linked Version | 1.2.3 |

| Directive | Local Value | Master Value |
|--------------------------------------|-----------------|-----------------|
| zlib.output_compression | Off | Off |
| zlib.output_compression_level | -1 | -1 |
| zlib.output_handler | <i>no value</i> | <i>no value</i> |

Additional Modules

| Module Name |
|----------------|
| ionCube Loader |
| sysvsem |
| sysvshm |

Environment

| Variable | Value |
|--------------------------------|--|
| SKIP_DEFERRAL_CHECK | 1 |
| USER | root |
| OPENSSL_NO_DEFAULT_ZLIB | 1 |
| PATH | /usr/local/jdk/bin:/usr/kerberos/sbin:/usr/kerberos/bin:/usr/local/sbin:/usr/local/bin:/sbin:/bin:/usr/sbin:/usr/bin:/usr/X11R6/bin:/usr/local/bin:/usr/X11R6/bin:/root/bin:/opt/bin |
| PWD | / |
| TZ | Etc/GMT |
| SHLVL | 1 |

| | |
|------------|-----------------|
| HOME | /root |
| RESTARTSRV | 1 |
| _ | /usr/sbin/httpd |

PHP Variables

| Variable | Value |
|---|--|
| _REQUEST["uid"] | 4480289730 |
| _COOKIE["uid"] | 4480289730 |
| _SERVER["UNIQUE_ID"] | XIVgnckw2RVIK3Y2T2WqyQAAAAA |
| _SERVER["HTTPS"] | on |
| _SERVER["SSL_TLS_SNI"] | wingpath.co.uk |
| _SERVER["HTTP_HOST"] | wingpath.co.uk |
| _SERVER["HTTP_USER_AGENT"] | Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:73.0) Gecko/20100101 Firefox/73.0 |
| _SERVER["HTTP_ACCEPT"] | text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8 |
| _SERVER["HTTP_ACCEPT_LANGUAGE"] | en-GB,en;q=0.5 |
| _SERVER["HTTP_ACCEPT_ENCODING"] | gzip, deflate, br |
| _SERVER["HTTP_DNT"] | 1 |
| _SERVER["HTTP_CONNECTION"] | keep-alive |
| _SERVER["HTTP_REFERER"] | https://wingpath.co.uk/admin/index.php |
| _SERVER["HTTP_COOKIE"] | uid=4480289730 |
| _SERVER["HTTP_UPGRADE_INSECURE_REQUESTS"] | 1 |
| _SERVER["PATH"] | /usr/local/jdk/bin:/usr/kerberos/sbin:/usr/kerberos/bin:/usr/local/sbin:/usr/local/bin:/sbin:/bin:/usr/sbin:/usr/bin:/usr/X11R6/bin:/usr/local/bin:/usr/X11R6/bin:/root/bin:/opt/bin |
| _SERVER["SERVER_SIGNATURE"] | no value |
| _SERVER["SERVER_SOFTWARE"] | Apache/2.4.41 (cPanel) OpenSSL/1.1.1d mod_bwlimited/1.4 PHP/5.6.40 |
| _SERVER["SERVER_NAME"] | wingpath.co.uk |
| _SERVER["SERVER_ADDR"] | 5.77.35.55 |
| _SERVER["SERVER_PORT"] | 443 |
| _SERVER["REMOTE_ADDR"] | 82.71.13.216 |
| _SERVER["DOCUMENT_ROOT"] | /home/wingpath/public_html |
| _SERVER["REQUEST_SCHEME"] | https |
| _SERVER["CONTEXT_PREFIX"] | no value |
| _SERVER["CONTEXT_DOCUMENT_ROOT"] | /home/wingpath/public_html |
| _SERVER["SERVER_ADMIN"] | webmaster@wingpath.co.uk |
| _SERVER["SCRIPT_FILENAME"] | /home/wingpath/public_html/admin/phpinfo.php |
| _SERVER["REMOTE_PORT"] | 42856 |
| _SERVER["REMOTE_USER"] | webadmin |
| _SERVER["AUTH_TYPE"] | Basic |
| _SERVER["GATEWAY_INTERFACE"] | CGI/1.1 |
| _SERVER["SERVER_PROTOCOL"] | HTTP/1.1 |
| _SERVER["REQUEST_METHOD"] | GET |
| _SERVER["QUERY_STRING"] | no value |
| _SERVER["REQUEST_URI"] | /admin/phpinfo.php |
| _SERVER["SCRIPT_NAME"] | /admin/phpinfo.php |
| _SERVER["PHP_SELF"] | /admin/phpinfo.php |
| _SERVER["PHP_AUTH_USER"] | webadmin |
| _SERVER["PHP_AUTH_PW"] | a4ouhHP |
| _SERVER["REQUEST_TIME_FLOAT"] | 1582653597.05 |
| _SERVER["REQUEST_TIME"] | 1582653597 |
| _SERVER["argv"] | Array () |
| _SERVER["argc"] | 0 |
| _ENV["SKIP_DEFERRAL_CHECK"] | 1 |
| _ENV["USER"] | root |
| _ENV["OPENSSL_NO_DEFAULT_ZLIB"] | 1 |
| _ENV["PATH"] | /usr/local/jdk/bin:/usr/kerberos/sbin:/usr/kerberos/bin:/usr/local/sbin:/usr/local/bin:/sbin:/bin:/usr/sbin:/usr/bin:/usr/X11R6/bin:/usr/local/bin:/usr/X11R6/bin:/root/bin:/opt/bin |
| _ENV["PWD"] | / |
| _ENV["TZ"] | Etc/GMT |
| _ENV["SHLVL"] | 1 |
| _ENV["HOME"] | /root |
| _ENV["RESTARTSRV"] | 1 |

| | |
|-----------|-----------------|
| _ENV["_"] | /usr/sbin/httpd |
|-----------|-----------------|

PHP Credits

| PHP Group |
|--|
| Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski |

| Language Design & Concept |
|--|
| Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger |

| PHP Authors | |
|-------------------------------------|--|
| Contribution | Authors |
| Zend Scripting Language Engine | Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov, Xinchun Hui, Nikita Popov |
| Extension Module API | Andi Gutmans, Zeev Suraski, Andrei Zmievski |
| UNIX Build and Modularization | Stig Bakken, Sascha Schumann, Jani Taskinen |
| Windows Port | Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye, Anatol Belski |
| Server API (SAPI) Abstraction Layer | Andi Gutmans, Shane Caraveo, Zeev Suraski |
| Streams Abstraction Layer | Wez Furlong, Sara Golemon |
| PHP Data Objects Layer | Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky |
| Output Handler | Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner |

| SAPI Modules | |
|---------------------------|--|
| Contribution | Authors |
| AOLserver | Sascha Schumann |
| Apache 1.3 (apache_hooks) | Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar, George Schlossnagle, Lukas Schroeder |
| Apache 1.3 | Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar |
| Apache 2.0 Filter | Sascha Schumann, Aaron Bannert |
| Apache 2.0 Handler | Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code) |
| Caudium / Roxen | David Hedbor |
| CGI / FastCGI | Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov |
| CLI | Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchun Hui |
| Continuity | Alex Leigh (based on nsapi code) |
| Embed | Edin Kadribasic |
| FastCGI Process Manager | Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyet |
| ISAPI | Andi Gutmans, Zeev Suraski |
| litespeed | George Wang |
| NSAPI | Jayakumar Muthukumarasamy, Uwe Schindler |
| phpdbg | Felipe Pena, Joe Watkins, Bob Weinand |
| phttpd | Thies C. Arntzen |
| pi3web | Holger Zimmermann |
| Sendmail Milter | Harald Radi |
| thttpd | Sascha Schumann |
| tux | Sascha Schumann |
| WebJames | Alex Waugh |

| Module Authors | |
|-------------------------|---|
| Module | Authors |
| BC Math | Andi Gutmans |
| Bzip2 | Sterling Hughes |
| Calendar | Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong |
| COM and .Net | Wez Furlong |
| ctype | Hartmut Holzgraefe |
| cURL | Sterling Hughes |
| Date/Time Support | Derick Rethans |
| DB-LIB (MS SQL, Sybase) | Wez Furlong, Frank M. Kromann |
| DBA | Sascha Schumann, Marcus Boerger |
| DOM | Christian Stocker, Rob Richards, Marcus Boerger |
| enchant | Pierre-Alain Joye, Ilia Alshanetsky |
| ereg | Rasmus Lerdorf, Jim Winstead, Jaakko Hyvätti |
| EXIF | Rasmus Lerdorf, Marcus Boerger |
| fileinfo | Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans |
| Firebird driver for PDO | Ard Biesheuvel |

| | |
|------------------------------------|---|
| FTP | Stefan Esser, Andrew Skalski |
| GD imaging | Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger |
| GetText | Alex Plotnick |
| GNU GMP support | Stanislav Malyshev |
| Iconv | Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi |
| IMAP | Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky |
| Input Filter | Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky |
| InterBase | Jouni Ahto, Andrew Avdeev, Ard Biesheuvel |
| Internationalization | Ed Batutis, Vladimir Iordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar |
| JSON | Omar Kilani, Scott MacVicar |
| LDAP | Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas |
| LIBXML | Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo |
| mcrypt | Sascha Schumann, Derick Rethans |
| MS SQL | Frank M. Kromann |
| Multibyte String Functions | Tsukada Takuya, Rui Hirokawa |
| MySQL driver for PDO | George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter |
| MySQL | Zeev Suraski, Zak Greant, Georg Richter, Andrey Hristov |
| MySQLi | Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel |
| MySQLnd | Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlüter |
| OCI8 | Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation |
| ODBC driver for PDO | Wez Furlong |
| ODBC | Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky |
| OpenSSL | Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar |
| Oracle (OCI) driver for PDO | Wez Furlong |
| pcntl | Jason Greene, Arnaud Le Blanc |
| Perl Compatible Regexprs | Andrei Zmievski |
| PHP Archive | Gregory Beaver, Marcus Boerger |
| PHP Data Objects | Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky |
| PHP hash | Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar |
| Posix | Kristian Koehnopp |
| PostgreSQL driver for PDO | Edin Kadribasic, Ilia Alshanetsky |
| PostgreSQL | Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne |
| Pspell | Vlad Krupin |
| Readline | Thies C. Arntzen |
| Recode | Kristian Koehnopp |
| Reflection | Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter |
| Sessions | Sascha Schumann, Andrei Zmievski |
| Shared Memory Operations | Slava Poliakov, Ilia Alshanetsky |
| SimpleXML | Sterling Hughes, Marcus Boerger, Rob Richards |
| SNMP | Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hanne, Boris Lytochkin |
| SOAP | Brad Lafountain, Shane Caraveo, Dmitry Stogov |
| Sockets | Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene |
| SPL | Marcus Boerger, Etienne Kneuss |
| SQLite 3.x driver for PDO | Wez Furlong |
| SQLite3 | Scott MacVicar, Ilia Alshanetsky, Brad Dewar |
| Sybase-CT | Zeev Suraski, Tom May, Timm Friebe |
| System V Message based IPC | Wez Furlong |
| System V Semaphores | Tom May |
| System V Shared Memory | Christian Cartus |
| tidy | John Coggeshall, Ilia Alshanetsky |
| tokenizer | Andrei Zmievski, Johannes Schlueter |
| WDDX | Andrei Zmievski |
| XML | Stig Bakken, Thies C. Arntzen, Sterling Hughes |
| XMLReader | Rob Richards |
| xmlrpc | Dan Libby |
| XMLWriter | Rob Richards, Pierre-Alain Joye |
| XSL | Christian Stocker, Rob Richards |
| Zip | Pierre-Alain Joye, Remi Collet |
| Zlib | Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner |

| PHP Documentation | |
|------------------------------|---|
| Authors | Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Georg Richter, Damien Seguy, Jakub Vrana, Adam Harvey, Peter Cowburn |
| Editor | Philip Olson |
| User Note Maintainers | Daniel P. Brown, Thiago Henrique Pojda |
| Other Contributors | Previously active authors, editors and other contributors are listed in the manual. |

| PHP Quality Assurance Team |
|--|
| Iliia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans, Melvyn Sopacua, Jani Taskinen, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra, Stanislav Malyshev, Julien Pauli, Stephen Zarkos, Anatol Belski, Remi Collet, Ferenc Kovacs |

| Websites and Infrastructure team | |
|---|--|
| PHP Websites Team | Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye, Kalle Sommer Nielsen, Peter Cowburn, Adam Harvey, Ferenc Kovacs, Levi Morrison |
| Event Maintainers | Damien Seguy, Daniel P. Brown |
| Network Infrastructure | Daniel P. Brown |
| Windows Infrastructure | Alex Schoenmaker |

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.