



Server Configuration

Basic WebHost Manager® Setup
Change Root Password
Configure cPanel Analytics
Configure cPanel Cron Jobs
Initial Quota Setup
Server Profile
Server Time
Statistics Software Configuration
Terminal
Tweak Settings
Update Preferences

Support

Create Support Ticket
Grant cPanel Support Access
Support Center

Networking Setup

Change Hostname
Resolver Configuration

Security Center

Apache mod_userdir Tweak
Compiler Access
Configure Security Policies
cPHulk Brute Force Protection
Host Access Control
Manage External Authentications
Manage root's SSH Keys
Manage Wheel Group Users
ModSecurity™ Configuration
ModSecurity™ Tools
ModSecurity™ Vendors
Password Strength Configuration
Security Advisor
Security Questions



Edit MX Entry

The lowest numbered MX entry currently points to: **tinhaze.co.uk**

Email Routing for "tinhaze.co.uk" (The domain is owned by "tinhaze").



Automatically Detect Configuration: (recommended)



Local Mail Exchanger



Backup Mail Exchanger



Remote Mail Exchanger

The current setting is shown in **bold**.

MX Entries

TTL	Priority	MX Destination	Actions	
600	0	tinhaze.co.uk	Delete	
600	10		Delete	(new)

[Add Another MX Entry Field](#)

Save