



Server Configuration

Basic WebHost Manager® Setup

Change Root Password

Configure cPanel Analytics

Configure cPanel Cron Jobs

Initial Quota Setup

Server Profile

Server Time

Statistics Software Configuration

Terminal

Tweak Settings

Update Preferences

Support

Create Support Ticket

Grant cPanel Support Access

Support Center

Networking Setup

Change Hostname

Resolver Configuration

Security Center

Apache mod_userdir Tweak

Compiler Access

Configure Security Policies

cPHulk Brute Force Protection

Host Access Control

Manage External Authentications

Manage root's SSH Keys

Manage Wheel Group Users

ModSecurity™ Configuration

ModSecurity™ Tools

ModSecurity™ Vendors

Password Strength Configuration

Security Advisor

Security Questions



Service Manager

☒ tailwatchd

Enabled



TailWatch Drivers:

APNSPush

Responsible for notifying iOS devices when new mail arrives.



ChkServd

Responsible for checking, monitoring and restarting services.



Eximstats

Responsible for maintaining email bandwidth logs, limiting email usage, and populating data for the Mail Delivery Reports system.



JailManager

Manages jails used for the "EXPERIMENTAL: Jail Apache Virtual Hosts using mod_ruid2 and cPanel® jailshell". This option is managed by "Tweak Settings", and should be enabled or disabled there.



MailHealth

This driver monitors the mail log for problems with mail services.



ModSecLog

Parses the ModSecurity audit log and stores the events in the modsec database for later viewing or analysis.



RecentAuthdMailpTracker

This driver keeps track of the IP addresses of recently authenticated IMAP and POP3 session. This allows users with logins on the system to bypass delays and greylisting checks.



cPBandwd

Responsible for generating the bandwidth logs for IMAP and POP3 mail services.

Deselect a service to disable it.

Enabled



Monitor



Service Information

PHP-FPM service for cPanel Daemons



cPanel DAV Daemon