



Server Configuration

[Basic WebHost Manager® Setup](#)[Change Root Password](#)[Configure cPanel Analytics](#)[Configure cPanel Cron Jobs](#)[Initial Quota Setup](#)[Server Profile](#)[Server Time](#)[Statistics Software Configuration](#)[Terminal](#)[Tweak Settings](#)[Update Preferences](#)

Support

[Create Support Ticket](#)[Grant cPanel Support Access](#)[Support Center](#)

Networking Setup

[Change Hostname](#)[Resolver Configuration](#)

Security Center

[Apache mod_userdir Tweak](#)[Compiler Access](#)[Configure Security Policies](#)[cPHulk Brute Force Protection](#)[Host Access Control](#)[Manage External Authentications](#)[Manage root's SSH Keys](#)[Manage Wheel Group Users](#)[ModSecurity™ Configuration](#)[ModSecurity™ Tools](#)[ModSecurity™ Vendors](#)[Password Strength Configuration](#)[Security Advisor](#)[Security Questions](#)

Shell Fork Bomb Protection

Description

Fork Bomb Protection denies users who have terminal access ([SSH](#)/Telnet) the ability to use all of the resources on the server. To prevent server crashes, do **not** allow unlimited resource allocation.

We recommend that you enable this protection for servers that provide terminal access.

Status: **Disabled**[Enable Protection](#)